TF Party Wall Roll.

April 2024 | Data Sheet



Description.

Superglass TF Party Wall Roll is a non-combustible glass mineral wool insulation roll. The flexible roll is supplied 2x675mm or 1200mm wide to allow easy installation and minimum on-site cutting and waste.

Application.

Superglass TF Party Wall Roll is designed to provide thermal and acoustic insulation within timber frame party/separating wall cavities.

Superglass TF Party Wall Roll may be used as a component in Robust Details solutions E-WT-1 and E-WT-2, It may also be used in party wall systems which require on-site pre-completion and can be used as part of a full fill solution to achieve a zero effective U-value.

Performance.

Density:

Manufactured at a minimum density of 18kg/m³.

Thermal Conductivity:

Declared thermal conductivity (lambda (λ) value) of 0.036W/mK.

Fire Classification:

Deemed non-combustible with a fire classification of Euroclass A1 (the highest possible rating) when tested to BS EN 13501-1 Reaction to Fire.





Typical applications: Timber frame party/separating walls.









Easy to Install



Recycled Content



Acoustic Insulation Thermal Insulation

ation

Noncombustible

TF Party Wall Roll.

Technical Characteristics.

Product Specification.

Thickness (mm)	Length (m)	Width (mm)	Pack Area (m²)	Packs per pallet	Thermal Conductivity (W/mK)	Thermal Resistance (m²K/W)	Product Code
60	10.50	2x675	14.175	24	0.036	1.60	2144317
60	11.50	1200	13.800	24	0.036	1.60	2144328

Please note that all dimensions are nominal.

Additional Information.

Vapour Resistivity.

The product has a nominal vapour resistivity of 5 MNs/gm.

Environmental credentials.

- ISO 14001 Environmental Management Systems (EMS) certified. Certificate number: EMS 646508
- Contains no ozone-depleting substances or greenhouse gases. For more information, please refer to the Environmental Product Declaration (EPD).
- Manufactured from up to 84% recycled glass.
- Generic BRE Green Guide Rating of A+.

Standards and Approvals.

Manufactured in accordance with:

- BS EN 13162:2012(+A1:2015) Thermal insulation products for buildings Factory made mineral wool (MW) products.
- BS EN 13172: 2012 Thermal insulation products Evaluation of conformity.
- BS EN ISO 9001 Quality Management Systems (QMS). Certificate number: FM 02264.

Certifications.

- UKCA certified to BS EN 13162:2012+A1:2015. Certificate number: 0086 CPR 469699.
- CE marked to EN 13162:2012+A1:2015. Certificate number: 0751-CPR-399.0-01.

A copy of the product Declaration of Performance (DoP) can be downloaded from the Superglass website.

Handling & Storage.

Due to its physical characteristics, TF Party Wall Roll is quick and easy to handle and install.

The product is supplied compression packed in polythene to provide short term protection only. For long term protection, the product must be stored indoors, or under a waterproof covering and off the ground to protect from weather damage. The product should not be left permanently exposed to the elements.


All Superglass products are non-hygroscopic, will not rot, degrade, or sustain vermin and will not encourage the growth of mould, bacteria, or fungi




TF Party Wall Roll. Technical Characteristics.

Recommended solutions

robustdetails E-WT-1



robustdetails E-WT-2



Wall width: 240mm (min) between inner faces of wall linings. 50mm (min) gap between studs (must not be bridged by any diagonal bracing).

Wall lining: 2 or more layers of gypsum-based board (total nominal mass per unit area 22 kg/m²), both sides - all joints staggered

Insulation: SUPERGLASS TF PARTY WALL ROLL

Sheathing: Partial sheathing of party wall - Please refer to Robust Details Handbook

Absorbent material: 60mm (min) mineral wool batts or quilt (density 10 - 60kg/m³) both sides i.e Superglass Multi Acoustic Roll, Superglass Timber & Rafter Roll

Ties: Between frames not more than 40mm x 3mm, at 1200mm (min) centres horizontally, one row of ties per storey height vertically.

External (flanking) wall: Outer leaf masonry with minimum 50mm cavity.

Wall width: 240mm (min) between inner faces of wall linings 50mm (min) cavity (gap between wall panels) 68mm (min) between stud frames

Wall lining: 2 or more layers of gypsum-based board (total nominal mass per unit area 22 kg/m²), both sides - all joints staggered

Insulation: SUPERGLASS TF PARTY WALL ROLL

Sheathing: 9mm (min) thick board.

Absorbent material: 60mm (min) mineral wool batts or quilt (density 10 - 60kg/m³) both sides i.e Superglass Multi Acoustic Roll, Superglass Timber & Rafter Roll

Ties: Between frames not more than 40mm x 3mm, at 1200mm (min) centres horizontally, one row of ties per storey height vertically.

External (flanking) wall: Outer leaf masonry with minimum 50mm cavity.

Superglass UK CE bsi. BRE/Global MADE IN® NBS Source BRITAIN EPD

Superglass Insulation Ltd | Thistle Industrial Estate | Kerse Road | Stirling | FK7 7QQ | UK

Technical

Hotline: 0808 1645 134 Email: technical.stirling@etexgroup.com

Customer Services Tel: 01786 451170 Email: customerservice.stirling@etexgroup.com

Social

- 🛞 superglassinsulationuk (in) superglassuk/
- f superglass_uk

superglass.co.uk

